

Solar ACDB with Zero Export

(1 KWp - 6 KWp)



We Develop Innovate, Connected Technologies for Safety Reliability, Sustainability to Stabilize The Network & Increase the uptime.

Features

- ☔ IP 65/66 Protected (PC Enclosure)
- ⚡ Short Circuit & Overload Protected
- ⚡ Over Voltage Protected (P+N)
(1 Varistors + 1 Sparkgap)
- 🔒 Inbuilt Zero Export Protection
- ⚡ No Earth Leakage Current
- ✅ Suitable for TT & TN system
- 🔌 Cu wired with FR Insulation
- 🌫️ No Air Condensation
- 🔧 Testing Wire Harnessing to Ensure High Conductivity
- 💰 Flexible
- 👍 World Class Quality With Best Industry Price
- ⬇️ Easy to Install & Service
- 🔧 Suitable for all grid tie inverter
- 🕒 Designed for 25 Years Life time
- ✅ Reliable in Extreme Conditions
- 🔌 Plug & Play Solution for Rooftop Solar PV installations




Solar ACDB with Zero Export

(1 KWp - 6 KWp) (GA x 1NR)

Technical Specifications

Models	1Nx1R	1Nx2R	1Nx3R	1Nx4R	1Nx5R
Voltage	415 VAC				
Frequency	50 Hz				
Configuration	1-Phase, P+N				
Insulation Voltage	2.5 VAC				
Input					
No. of Inputs	1				
Current Rating	6 - 63A				
Feeder Type	Terminals	Terminals	RCCB @ 30mA	Terminals	RCCB @ 30mA
Cable Entry	Bottom				
Output					
No of Outputs	1				
Current Rating	6 - 63A				
Short Circuit Withstood	10kA				
Control Type	Contactor	Contactor	Contactor	Contactor	Contactor
Feeder Type	MCB, C - Curve				
Cable Entry	Bottom				
Protections					
Short Circuit	Yes				
Over Load	Yes				
Over Voltage	Yes				
Earth Fault/Leakage	-				
Reverse Power	Nil	Nil	Yes	Nil	Yes
User Interface					
LED Indication Lamps	Nil	Yes	Yes	Yes	Yes
SPD Status	Yes				
Display	-			Voltage, Current, Frequency, Power Factor, Power & Energy	
Accuracy	-			Class 1.0	
General					
Type	Wall Mounting				
Application	Indoor*/Outdoor				
Protection Grade	Min IP43 for Indoor & IP65 are Better for Outdoor				
Ambient Temperature	0 to 45° C				
Humidity	Upto 80% RH, Non Condensing				
Altitude	< 1000 Mtrs. Above Sea Level (Without Derating)				
Access	Front				
Cooling	Natural Air Cooled				
Colour	RAL 7035				

*On Request



Source of Complete Solar BoS Components

Tailor Made Products are available
Due to constant product modifications, GEESYS Technologies have the rights to amend the above information / Specification without prior notice.

GEESYS Technologies (India) Pvt Ltd
No. 33A, Alandur Road, Saidapet, Chennai - 600 015, India.
☎ +91 44 450 12354 ✉ geesyscare@geesysindia.com
Toll Free No: 1800 120 2354 🌐 www.geesysindia.com

